




Docket No.: 204396US6X

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

GREGORY J. MAIER
(703) 413-3000
GMAIER@OBLON.COM

AKIHIRO YAMAZAKI
(703) 413-3000
AYAMAZAKI@OBLON.COM

RE: Application Serial No.: 09/808,168

Applicants: Alain GUESDON

Filing Date: March 15, 2001

For: CONNECTING DEVICE CONNECTING A SPRAY
BOOM TO A CHASSIS OF AN AGRICULTURAL
SPRAYER AND SPRAYER EQUIPPED WITH SUCH
A CONNECTING DEVICE

Group Art Unit: 3752

Examiner: NGUYEN, D

SIR:


Attached hereto for filing are the following papers:

REQUEST FOR RECONSIDERATION

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier

Registration No. 25,599

Customer Number

22850

(703) 413-3000 (phone)

(703) 413-2220 (fax)

I:\USER\FMW\IN\20S\204396\SHTCOV2.DOC

Akihiro Yamazaki


Registration No. 46,155

RECEIVED

NOV 25 2003

TECHNOLOGY CENTER R3700

DOCKET NO: 204396US6X



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :

ALAIN GUESDON :

SERIAL NO: 09/808,168 :

FILED: MARCH 15, 2001 :

FOR: CONNECTING DEVICE :
CONNECTING A SPRAY BOOM TO A
CHASSIS OF AN AGRICULTURAL
SPRAYER AND SPRAYER EQUIPPED
WITH SUCH A CONNECTING DEVICE

EXAMINER: NGUYEN, D

GROUP ART UNIT: 3752

*Reg.
#15/Reams.
11/26/03
N/Brewer*

REQUEST FOR RECONSIDERATION

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

RECEIVED

NOV 25 2003
TECHNOLOGY CENTER R3700

SIR:

In response to the Office Action dated August 21, 2003, please amend the above-identified application as follows:

Remarks/Arguments begin on page 2 of this paper.